



Specifications

Model	FinePix J10
Number of effective pixels *1	8.2 million pixels
sensor	1/2.5-inch
Storage media	<ul style="list-style-type: none"> • Internal memory (Approx. 8MB) • xD-Picture Card™ (16MB - 2GB) • memory card *2 • memory card *2
File format	<p>Still image</p> <p>(Exif Ver. 2.2) *3</p> <p>Movie</p> <p>(Motion)</p> <p>(Design rule for Camera File system compliant / -compatible)</p>
Number of recorded pixels	Still image: 3,264x2,448 (8M) / 3,264x2,176 (3:2) / 2,304x1,728 / 1,600x1,200 / 640x480
Lens	Fujinon 3x Optical zoom lens, F2.8 - F5.6
Lens focal length	f=6.2mm - 18.6mm, Equivalent to 35 - 113mm on a 35mm camera
Digital zoom	Approx. 5.1x
Aperture	F2.8 - F5.6 (Wide) / F5.2 - F10.4 (Telephoto)
Focus distance	<p>Normal</p> <ul style="list-style-type: none"> • Approx. 40cm / 1.3ft. to infinity <p>Macro</p> <ul style="list-style-type: none"> • Wide angle : Approx. 15cm / 6in. to 40cm / 1.3ft.

- Telephoto angle : Approx. 40cm / 1.3ft. to 80cm / 2.6ft.

Sensitivity	AUTO / Equivalent to 64 / 100 / 200 / 400 / 800 / 1600 (Standard Output Sensitivity)
Exposure control	256-zones metering
Exposure mode	Programmed AE Mode dial Auto, Manual, Picture Stabilization (Anti-blur), Movie
Shooting modes	SP Natural Light, Baby, Portrait, Landscape, Sport, Night, Beach, Snow, Fireworks, Sunset, Flower, Party, Museum, Text
Shutter speed	8 sec. to 1/2000 sec. (depends on exposure)
Continuous shooting	Top-3
Focus	
White balance	Automatic scene recognition, Preset (Fine, Shade, Fluorescent light (Daylight), Fluorescent light (Warm White), Fluorescent light (Cool White), Incandescent light)
Self-timer	Approx. 10sec. / 2sec. delay
Flash	Auto flash Flash mode Auto, Red-eye Reduction, Forced Flash, Suppressed Flash, Slow Synchro
monitor	2.5 inch, 153,000 dots , Amorphous silicon color monitor, Approx. 96% coverage
Movie recording	640 x 480,320 x 240 pixels, 30 frames/sec. With monaural sound * Zoom function cannot be used during movie recording

Photography functions	Best framing, Frame No. memory
Playback functions	Slide show, Trimming, Single frame, Multi-frame playback, Sorting by date, Image rotate
Video output	/ selectable
Digital input / output	2.0(High-speed)
Power source	NP-45 Li-ion battery (included)
Dimensions	91.0(W)x55.0(H)x22.0(D)*4 mm / 3.8(W)x2.2(H)x0.9(D)*4 in. (excluding accessories and attachments)
Weight	Approx. 110g / 3.9oz. (excluding accessories, batteries and memory card)

- *1 Number of effective pixels: The number of pixels on the image sensor which receive input light through the optical lens, and which are effectively reflected in the final output data of the still image.
- *2 Please see the Fujifilm website to check memory card compatibility.
- *3 Exif 2.2 is a newly revised digital camera file format that contains a variety of shooting information for optimal printing.
- *4 Measures a mere 19.0 mm/0.75 inches at its slimmest point.

Memory Card Capacity and Image Quality / Size

Number of images / recording time

Modes	Still image							Movie	
	3264 x 2448		3264 x 2176 (3:2 format)			2304 x 1728		640 x 480	
Number of recorded pixels	3264 x 2448		3264 x 2176 (3:2 format)			2304 x 1728		640 x 480	
Quality	FINE NORMAL						(30fps)		
Internal Memories (8MB)	1	2	3	6	10	35	3 sec.	9 sec.	
xD-Picture Card™ 256 MB	56	104	114	230	338	1,134	3.3 min.	7.1 min.	
512 MB	112	208	228	460	676	2,268	6.7 min.	14.1 min.	
1 GB	243	444	486	920	1,352	4,536	13.7 min.	29.2 min.	
2	487	889	974	1,840	2,704	9,072	27.4	58.3	

	GB							min.	min.
	512 MB	114	209	229	462	676	2,271	6.7 min.	14.1 min.
memory card	1 GB	235	430	471	938	1,375	4,607	13.7 min.	29.2 min.
	2 GB	467	854	936	1,876	2,750	9,214	27.4 min.	58.3 min.
memory card	4 GB	932	1,703	1,865	3,752	5,500	18,428	54.9 min.*	116.6 min.*
	8 GB	1,869	3,414	3,740	7,504	11,000	36,856	109.7 min.*	233.0 min.*

- *A movie recording will stop automatically when the movie file size becomes approx. 2GB.

© Fujifilm Corporation